


REVISIONS			
LTR	DESCRIPTION	DATE	APPVD
A	INITIAL RELEASE NUM: R2000-151	---	
B	(CL 11) SEE ECN A2852	---	



SECTION A-A
SCALE 15.000

3. BLACK INK STAMP TRADEMARK 9-6700, TYPE IV, PER 9-7530 OR 9-3856-5 ON INDICATED SURFACE. DIRECTION OPTIONAL, MAY BE SOLID OR FRAME.
2. FILL IN THE INDICATED AREA WITH EPOXY 9-4954-5 TO HOLD INNER COMPONENTS IN PLACE. NO EPOXY PERMITTED ABOVE OUTER SURFACE OF CONTACT ASSEMBLY. CURE EPOXY AT 250° F FOR 3 HOURS
1. DRAWING ILLUSTRATES FINAL ASSEMBLY.

NOTES:

THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.

COMPANY ID: 9	CODED/MS/CUST: N	88-568543-39()
INTERNAL: N	LOT NO: N	N/A
DATE CODE: N	SEE DRAW: N	
STAMPING DATA		NEXT ASSEMBLY

UNLESS OTHERWISE SPECIFIED	SPECIFICATIONS	POS	QTY	PART NUMBER	DESCRIPTION	NOTE
LINEAR DIMENSIONS ARE IN INCHES TOLERANCES: .XXXX = ±.0005 .XXX = ±.010 .XX = ±.03 .X = ±.1 ANGLES = ±2° OTHER STANDARDS PER 9-3800 AND DOD-D-1000 THIRD ANGLE PROJECTION	MATERIAL SPEC.					
	N/A					
	PROCESS SPEC.					
	9-4954-5 SEE NOTE 2 9-6700, 9-7530 9-3856-5					
		APPROVALS		DATE	PARTS LIST	
		PREPARED	D. FREAR	21-Apr-00	AMPHENOL CORPORATION <small>SIDNEY, N.Y. 13838</small> CONTACT, PIN, COAXIAL, SIZE 16 PCB TERMINATION, TYPE JT-R	
		CHECKED	D. FREAR	5/17/00		
		MATERIAL	J. TOKAROWSKI	5/17/00		
		APPROVED	D. FREAR	5/17/00		
		APPROVED	AL DAVIS	5/17/00		
		PRO/ENG INFORMATION		DOCUMENT NO.		REV.
		21-33634-35.ASSEM		21-33634-35		B
		21-33634-35		SCALE: 3.0	REF: 21-33968-15	SHEET 1 OF 1

FAMCODES DATA3: N/A CICS: N/A

21-33634-35

DOC NO

SHEET 1 OF 1

A

D

C

1

2

3

4

REV: 22-JULY-92